PATENT COOPERATION TREALY

•	0/0
2010	0 / e pig

PCT

ıcı

(PCT Rule 61.2)

NOTIFICATION OF ELECTION

From the INTERNATIONAL BUREAU

To:

Commissioner
US Department of Commerce
United States Patent and Trademark
Office, PCT
2011 South Clark Place Room
CP2/5C24
Arlington, VA 22202

ETATS-UNIS D'AMERIQUE in its capacity as elected Office

Date of mailing (day/month/year) 10 June 2002 (10.06.02)

International application No. PCT/US01/14842

International filing date (day/month/year)

08 June 2001 (08.06.01)

Applicant's or agent's file reference

KD-01-004PCT

Priority date (day/month/year) 09 June 2000 (09.06.00)

Applicant

DOANE, Joseph, W. et al

1.	The designated Office is h	ereby notified of its election made:	
	X in the demand filed	with the International Preliminary Examining Authority on:	
		08 January 2002 (08.01.02)	
	in a notice effecting	later election filed with the International Bureau on:	
			RECEIVED
			AUG 0 5 2002
2.	The election X was		TC 1700
	was		
	made before the expiration Rule 32.2(b).	on of 19 months from the priority date or, where Rule 32 app	lies, within the time limit under
	•		

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland

Authorized officer

Olivia TEFY

Telephone No.: (41-22) 338.83.38

Facsimile No.: (41-22) 740.14.35

09937-210

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 20 December 2001 (20.12.2001)

PCT

(10) International Publication Number WO 01/96494 A1

(51) International Patent Classification⁷: 19/32, 19/36, C07D 317/12

44240 (US). **SEED, Alexander, J.** [GB/US]; 4071 Baird Road, Stow, OH 44224-3601 (US).

(21) International Application Number:

PCT/US01/14842

C09K 19/34,

(22) International Filing Date: 8 June 2001 (08.06.2001)

(74) Agent: POWELL, Raymond, H., J.; Westerlund Powell, P.C., 122 N. Alfred Street, Alexandria, VA 22314-3011 (US).

(84) Designated States (regional): European patent (AT, BE,

CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC,

(25) Filing Language:

English

(81) Designated States (national): CN, JP, KR, US.

(26) Publication Language:

English

(20) I ubileation Language.

(30) Priority Data: 60/210,485

9 June 2000 (09.06.2000) US

(71) Applicant (for all designated States except US): KENT DISPLAYS, INC. [US/US]; 343 Portage Boulevard, Kent, OH 44240 (US).

Published:

with international search report

NL, PT, SE, TR).

 before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

(72) Inventors; and

(75) Inventors/Applicants (for US only): DOANE, Joseph,
 W. [US/US]; 340 OakWood Drive, Kent, OH 44240 (US).
 KHAN, Asad, A. [PK/US]; 901 Admore Drive, Kent, OH

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

FEB 1 3 2002 TC 1700



(54) Title: CHIRAL ADDITIVES FOR CHOLESTERIC DISPLAYS

(57) Abstract: A unique class of chiral additive materials is disclosed for use in cholesteric displays that possess a helical twist power substantially independent of temperature. The additives have a solubility and a helical twist power large enough to be used as a single chiral component with little dilution of the physical properties of the nematic liquid crystal host mixture. The chiral additives may be used in combination with non-chiral additives to provide a helical twisting power substantially independent of temperature suitable for cholesteric displays.

41

CHIRAL ADDITIVES FOR CHOLESTERIC DISPLAYS

STATEMENT OF GOVERNMENT INTEREST

The invention described herein was made in the performance of work under Contract No. DMI9903655 awarded by the National Science Foundation. Thus, the Government of the United States has certain rights in this invention.

BACKGROUND OF THE INVENTION

Field of the Invention

5

10

15

20

25

30

The present invention relates to a unique class of chiral compounds for liquid crystals, and to liquid-crystalline mixtures containing such chiral compounds, and to their use for cholesteric displays and the resulting devices.

Description of the Related Art

Cholesteric flat-panel displays are currently under development because of their low power consumption, bright viewing characteristics at wide angles, and high-resolution capability at low cost. Their low-power consumption is a result of the bistable memory characteristic inherent in the technology. As described in the first U. S. Patents on this technology (See U.S. Patent Nos. 5,251,048, 5,384,067, 5,437,811, and 5,453,863), each pixel of the display can exist in a stable color reflective state with any desired reflective intensity or brightness (gray-scale) without any applied power. The degree of brightness is electronically selected by a pulse. A unique feature described in those inventions, is the existence of a threshold in the electronic response to a pulse such that a matrix of pixels can be multiplexed to achieve a high resolution display at low cost without the need of transistor elements (active matrix) at each pixel. Because of the low power and reflective brightness characteristics, cholesteric displays are used in portable or handheld applications where long battery life and versatile viewing capabilities are important.

The reflective properties of cholesteric liquid crystals have been generally known for many years. Sometimes called a chiral nematic, a cholesteric liquid crystal achieves its color reflective property because the molecules are arranged in a helical twist pattern with a

periodicity (pitch length) equal to the wavelength of light in the material. The first materials explored with this property were the cholesterol esters. These materials are not only chiral but also liquid crystalline and reflect iridescent colors when the periodicity of the twist corresponds to a reflective wavelength from 400nm to about 700nm ["Cholesteric Structure – II: Chemical Significance", p105 – 119, J. L. Fergason, N. N. Goldberg, R. J. Nadalin, *Liquid Crystals*, Ed. G. H. Brown, G. J. Dienes, M. M. Labes, Gordon and Breach Science Publishers, New York (1966)]. The materials were therefore called cholesteric liquid crystals, a name still used today even though cholesterol materials are seldom used today. Instead, a mixture of chiral and achiral compounds is used as discussed by Gottarelli et al. ["Induced Cholesteric Mesophases: Origin and Application, G. Gottarelli, G. P. Spada, Mol. Cryst. Liq. Cryst., 123, 377 – 388 (1985)]. Achiral liquid crystalline compounds make up a nematic liquid crystalline host mixture, which has no helical twist by itself. To this host nematic is added a chiral compound to twist up the nematic material into one of a cholesteric structure, hence the name chiral nematic.

15

10

5

The helical arrangement of the molecules provides a self-assembled stack of dielectric layers because of the anisotropy of the refractive index of the molecules. The index of refraction continuously varies along the stack by as much as 0.25 depending upon the nematic material. Because of the helical nature of the refractive index in the layer, the stack will reflect one circular component of a selected bandwidth of colored light. A right handed twisted planar texture will therefore decompose incident unpolarized white light into its right and left components by reflecting the right hand component and transmitting the left. A left-handed twisted material will do the opposite. A left-hand display cell stacked on top of a right-hand cell, both with the same pitch length, will reflect all of the incident light.

25

30

20

According to Bragg's law, the wavelength λ , of the selective reflection is given by the equation: $\lambda = np$ where p is the pitch of the helical structure and n is the average refractive index of the liquid crystal mixture. In mixtures of a nematic liquid crystal with the chiral additive, the reciprocal of the pitch length is approximately proportional to the concentration X, of the chiral compound, $p^{-1} = \beta_X$ with β being the helical twisting power (HTP).

Conventional chiral additives available today have twisting powers typically of $\beta < 15 \mu m^{-1}$ when X is measured in weight percent.

5

10

15

20

25

30

Certain dimethanoldioxolane derivatives have been described in the literature as possessing large HTP values. E.g., "TADDOLs with Unprecedented Helical Twisting Power in Liquid Crystals", H. G. Kuball, B. Weiss, A. K. Beck, D. Seebach, *Helvetica Chimica Acta*, 80, 2507-2514 (1997); "TADDOLs Under Closer Scrutiny – Why Bulky Substituents Make it All Different", A. K. Beck, M. Dobbler, D. A. Plattner, *Helvetica Chimica Acta*, 80, 2073-2083 (1997); and in US Patent 5,637,255. Like other chiral additives, they are also known to generally possess large temperature dependent values of dp/dT and, hence, dλ/dT. Their temperature dependencies tend to be positive in that the pitch length increases with increasing temperature, causing a cholesteric material to change from blue to red reflecting. Furthermore, the temperature dependence dp/dT has been shown to depend on the material of the host nematic. See "TADDOLs with Unprecedented Helical Twisting Power in Liquid Crystals", H. G. Kuball, B. Weiss, A. K. Beck, D. Seebach, *Helvetica Chimica Acta*, 80, 2507-2514 (1997).

In order for flat-panel displays to be useful for portable applications, it is necessary for the display be operable over a wide range of temperatures. Outdoor temperatures can range from -20°C to +50°C depending on the environment. It would be advantageous if the reflected colors did not change over this temperature range. Implementing this desirable characteristic is not a straightforward task, since nearly all cholesteric liquid crystalline materials are well known to exhibit reflective colors that vary strongly with changes in temperature. Depending on the shape or chemical structure of the chiral molecule, the pitch length p and, hence, the peak reflective wavelength λ , can increase with temperature (+d λ /dT) or decrease with temperature (-d λ /dT). Also, in many cases, d λ /dT is not linear over the temperature range of the cholesteric phase.

It should be mentioned at this point that the measurement for the temperature dependence of the pitch is performed using test cells, each of which is 5µm thick, and has a hard coat layer on both substrates. There is also an unrubbed polyimide surface on top of the

hard coat layers. The measurement for the temperature dependence of the pitch is performed in the following manner. A collimated light is incident on the display at surface normal and the reflected light is detected at 45°. The display is scanned in the wavelength band that includes the peak-reflected wavelength, e.g., 400nm to 700nm, or 700nm to 1500nm. The cell is switched to the planar texture at each test temperature. The measurement is performed from -20°C to +70°C in 10°C intervals. It should be noted that, for the purposes of a flat temperature dependence, only a portion of the test temperature range, i.e., temperatures between +10°C to +50°C, are considered. In any event, the maximum change in peak reflected wavelength is then recorded. A mixture is considered to exhibit temperature independent color behavior if the maximum change in the peak reflection wavelength is 30nm or less across the temperature range of +10°C to +50°C.

5

10

15

20

25

30

It has been shown that cholesteric displays fabricated using a mixture of two or more chiral compounds as additives can be made to produce a helical twist power and, hence, reflective wavelength that is independent of temperature by combining a chiral compound that has a $+d\lambda/dT$ with one with a $-d\lambda/dT$. U.S. Patent No. 5,309,265 describes a means of achieving a temperature independent λ by combining a plurality of chiral compounds, where both compounds exhibit the same twist sense.

It will be noted that there are a number of factors that preclude employing many previously known chiral compounds in liquid crystals. First of all, a chiral compound must be soluble in the nematic liquid crystal host material; many compounds are simply not soluble or only weakly soluble and, thus, cannot be used. In compounds that are soluble, they may adversely affect the nematic material by substantially reducing the temperature range of the liquid crystalline phase. If the chiral compound has an HTP that is too low, it may be necessary to add a large quantity of the additive which can dilute some of the desirable physical properties of the host nematic needed for the cholesteric display.

Consequently, a need still exists for a chiral additive, which is readily soluble in a nematic host mixture and which can be used individually (i.e., without needing to be combined with other chiral materials) for cholesteric displays that provides a high helical

twisting power, substantially independent of temperature in operating ranges suitable for the cholesteric displays. What is also needed is a cholesteric display exhibiting a high helical twisting power, which is substantially independent of temperature in operating ranges suitable for the cholesteric displays, which display includes at least one chiral additive, which is readily soluble in a nematic host mixture. In some cases it would be desirable if the temperature dependence of the cholesteric display could be tailored by the addition of a second additive, e.g., either an achiral compound or a second chiral additive different from the first chiral additive, where the twist senses of the first and second chiral additives are opposite to one another.

10

15

5

SUMMARY OF THE INVENTION

The above and other objectives are fulfilled by the present invention which concerns a unique class of chiral compounds that can be used alone as the optically-active additive or dopant in nematic liquid crystals to achieve a reflective wavelength that is temperature independent or essentially temperature independent, i.e., a $d\lambda/dT$ approaching zero in value, yet without significantly reducing the temperature range of the liquid crystalline phase, or diluting or otherwise adversely affecting its needed physical properties for liquid crystal implementations.

20

The inventive compounds are derivatives of dioxolanes and have the molecular structure generally indicated in Fig. 1 and reproduced below as general formula I.

I,

25

The R, R₁, R₂ and R₃ substitutions on the molecule of general formula I control the temperature dependence of the twisting power in the nematic host mixture in a surprisingly superior fashion. Generally, the R₂ and R₃ groups at the number 2 position of the dioxolane

-5-

ring independently are hydrogen, methyl or another lower alkyl group, or a substituted aryl or biaryl unit, while the R_1 groups independently each are a hydroxyl, alkoxy, aryloxy, or arylalkoxy group. The R groups in general formula I indicate a group of general formula II, which is as follows:

II $A_1 - [-Z-]_q - A_2$

5

10

15

20

25

where A_1 is an aromatic group, an acyclic aliphatic group, or an alicyclic group (e.g., a monoor polycyclic aryl group, a straight chain or branched chain alkyl group, an arylalkyl group, an arylalkenyl group, a cycloalkyl group, a cycloalkenyl group), and A_1 can be a substituted or unsubstituted group. For example, A_1 can be benzyl, cinnamyl, phenethyl, cyclohexyl, and the like. Z is a group selected from -O-, -OCO-, or -S-, and the coefficient q is 0 or 1. Z can also be $(CH_2)_nO$ with the coefficient n being 0 to 5 and the coefficient q being 1. A_2 is a bivalent radical of naphthalene that may additionally be substituted. Preferably, A_2 is a bivalent radical (2,6- or 1,5-disubstituted) of naphthalene, which may be unsubstituted or substituted (e.g., methyl, cyano, halogeno, amino, nitro, or hydroxyl substituents). The ring structure of A_2 , or A_1 if it is cyclic, optionally can be heterocyclic, such as by replacement of one or more CH member(s) of the ring structure with N, O and/or S (e.g., a bivalent radical of quinoline, xanthene, carbazole, or acridine).

In one preferred embodiment, each R substituent of general formula I is independently selected as:

where R₄ can be represented by general formula III as follows:

III $Y - [-X-]_n - [-Z-]_q$

where n is an integer value of 0 or 1 or more, X is -CH=CH-CH₂-, or -(CH₂)_m- where m is an integer value of 1, 2, 3, or more. Y is a radical of an aromatic hydrocarbon, an acyclic aliphatic hydrocarbon, or an alicyclic hydrocarbon group (e.g., a mono- or polycyclic aryl group, a straight chain or branched chain alkyl group, a cycloalkyl group, a cycloalkenyl group, and the like), and Y can be a substituted or unsubstituted group. Z and q have the same respective meanings as defined above relative to general formula Π.

In one preferred embodiment, R_4 is an aryloxy, an arylalkoxy, an arylalkyleneoxy, or an arylalkenyleneoxy group. Examples of R_4 advantageously may include, for instance, benzyloxy (C_6H_5 - CH_2 -O-), cinnamyloxy (C_6H_5 -CH=CH- CH_2 -O-), phenethyloxy (C_6H_5 - CH_2 - CH_2 -O-), and the like, where R_1 is a hydroxy group and R_2 and R_3 are methyl groups.

Additionally, the specific structures of the four R groups present in formula I or Fig. 1 can be identical to each other or they can independently vary from each other within the guidelines indicated above and herein.

The inventive optically-active, chiral additives according to the formula of Fig. 1 contain a sufficiently high helical twisting power (HTP) so that only a relatively small amount of the chiral additive is required to twist the nematic phase to a pitch length where it reflects wavelengths in the visible or infrared portion of the electromagnetic spectrum. On the other hand, the HTP of the additive is not inordinately high either, so that the invention can avoid undesired gradients in concentration, which could cause undesired inhomogeneities in the display. The present invention thereby avoids the need to combine separate types of chiral compounds in order to achieve a very high degree of temperature independence. While the present invention does not necessarily exclude the possibility, and in fact does contemplate, use of mixtures of different inventive chiral compounds within the scope of the formula of Fig. 1, the important point is that the inventive chiral compounds can be effectively used singly in a liquid-crystalline nematic mixture deployed in a light modulating apparatus to avoid the need for chiral additive combinations.

25

5

10

15

20

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is the general chemical structure of the dioxolane derivatives according to the present invention, where the R₁, R₂ R₃, and R₄ substituents control the temperature dependence of the twisting power in a superior manner.

5

Fig. 2 is the chemical structure of a preferred inventive compound embodied by the formula of Fig. 1, viz., (4R,5R)-2,2-dimethyl- α , α , α ', α '-tetrakis[6-(benzyloxy)naphth-2-yl]-1,3-dioxolane-4,5-dimethanol, which has been experimentally demonstrated to provide low $d\lambda/dT$ in certain nematic host mixtures.

10

Fig. 3 is a graph showing the peak reflection wavelength (nm) versus temperature results for experimental tests performed with respect to a variation in color for two compounds in the E44 nematic host mixture. A substitution on the naphthalene units shows a dramatic change in the $d\lambda/dT$ results.

15

Fig. 4 is a graph showing the peak reflection wavelength (nm) versus temperature results for experimental tests performed on the dimethanoldioxolane compound from Fig. 2 in E44 nematic host mixture tested with and without UCN additive.

20

25

30

DETAILED DESCRIPTION OF THE INVENTION

In this invention, a new class of derivatives of dioxolanes embodied by the formula of Fig. 1 has been discovered that provide a substantially temperature independent dp/dT over a wide operating temperature range when added to nematic liquid crystalline mixtures with physical properties that are useful in cholesteric displays, including commercially viable cholesteric displays. The inventive chiral compounds are especially useful as additives to nematic liquid crystals for use in cholesteric displays to achieve needed properties for their practical use, particularly in portable device applications. Significantly, this invention provides this utility while only requiring the use of a single type of chiral additive compound within the scope of the invention, as described herein, and without requiring a mixture of different types of chiral additives.

Commercially viable displays require a liquid crystal mixture that has a dielectric anisotropy, birefringence and desired elastic and viscosity coefficients to provide a display with suitable brightness, contrast, and speed. The dielectric anisotropy and viscosity must be such that low voltage pulses can be used to reduce the cost of the electronic drive chips as well as implement drive schemes and waveforms for rapidly addressing the display. The birefringence has to be large to provide high brightness. Furthermore, the materials must not provide undesirable features to the display such as image sticking or phase separation. Cholesteric displays therefore require very special cholesteric materials. Cholesteric displays incorporating the inventive dioxolane derivatives satisfactorily meet all these criteria and requirements, while providing superior temperature independence performance and so forth.

5

10

15

20

25

30

Namely, the invention provides chiral compound additives to nematic liquid crystals that provide at least the following features important for cholesteric displays:

- 1. Solubility in nematic liquid crystals that have the physical properties necessary for cholesteric displays.
- 2. Possess a helical twist power (HTP) generally ranging from 15 μm⁻¹ to 200 μm⁻¹, and more usually from 30 μm⁻¹ to 90 μm⁻¹. HTP values in this range are not so small as to dilute the important physical properties of nematic liquid crystals when twisted to reflect light in the visible spectrum. In addition, these values are not so large that slight inhomogeneities in the mixture caused by phase separation can disfigure the display.
- 3. Provide a substantially temperature independent HTP in the cholesteric phase over the operating temperature range of cholesteric displays of commercial value.
- Do not decompose under ultraviolet light of exposures under common environmental conditions.
 - 5. Do not chemically react with the host nematic liquid crystal.
 - 6. Possess the property that the temperature dependence can be modified by the addition of an achiral additive to the nematic liquid crystal. Such an additive may or may not posses a liquid crystalline phase.

As compared to the competing contemporarily available chiral additives that have twisting powers typically of $\beta < 15 \mu m^{-1}$ when X is measured in weight percent, the new soluble chiral additive materials, invented here, have values of β approaching $80 \mu m^{-1}$. This is a substantial improvement since the concentration of the chiral additive in this invention can be so small as to have a near negligible effect on the physical properties of the nematic liquid crystal.

Chiral nematic liquid crystalline materials within the scope of this invention, which include an inventive chiral additive and a nematic host mixture, can be implemented in cholesteric liquid crystal displays, electro-optical cells, and light modulating apparatuses in manners, arrangements and/or systems consistent with the descriptions, such as set forth in U.S. Patent Nos. 5,251,048, 5,384,067, 5,437,811, and 5,453,863, whose descriptions are incorporated by reference.

15

10

5

EXAMPLES

Synthesis Scheme for Chiral Additive:

One illustrative inventive compound, (4R,5R)-2,2-dimethyl- α , α , α ', α '-tetrakis[6-(benzyloxy)naphth-2-yl]-1,3-dioxolane-4,5-dimethanol, is shown in Fig. 2 and is reproduced below. The dimethanoldioxolane has 2,6-substituted naphthalene units.

20

25

The inventive compound of Fig. 2 was synthesized according to the following protocol with reference to the reaction Scheme I provided below.

Synthesis of 2-(Benzyloxy)-6-bromonaphthalene (2) intermediate:

A mechanically stirred mixture of 6-bromonaphth-2-ol (10.00g, 0.04483mol), benzyl bromide (6.97g, 0.0408mol), potassium carbonate (11.26g, 0.08147mol) and butan-2-one

(350ml) was heated under reflux for 24 hrs. (GLC and TLC analyses revealed a complete reaction). The potassium carbonate was filtered off and the filtrate was washed with water before being dried (MgSO₄). The drying agent was filtered off and the solvent was removed in vacuo to give a pale orange solid. The crude product was crystallized twice from ethanol and was dried in vacuo (P₂O₅, CaCl₂, paraffin wax, 48h) to afford white crystals. Yield = 11.97g (94%), mp 113-114°C.

Synthesis of product compound - compound (4):

(4R,5R)-2,2-dimethyl-a,a,a',a'-tetrakis[6-(benzyloxy)naphth-2-yl]-1,3-dioxolan-4,5-dimethanol (4):

n-Butyllithium (5.37ml, 2.5M in hexane, 0.0134mol) was added dropwise at -74°C to -77°C to a mechanically stirred, cooled (-77°C) solution of compound 2 (4.20g, 0.0134mol) in dry tetrahydrofuran (350ml) under dry argon. Once the addition was complete, the reaction mixture was maintained under these conditions for a further 2 hrs. (GLC analysis revealed a complete reaction) before the reaction mixture was allowed to warm to -25°C.

2,3-O-Isopropylidene-L-tartrate (0.73g, 0.03345mol) was added to the reaction mixture at -20°C to -25°C (exothermic) and the reaction mixture was allowed to warm to room temperature. The reaction mixture was stirred at room temperature for a further 15 hrs. before saturated ammonium chloride (60ml) was added and the mixture stirred for a further 4 hrs. The reaction mixture was washed with diethyl ether (3 x 75ml) and the combined organic washings were dried (MgSO₄). The drying agent was filtered off and the solvent was removed *in vacuo* to give an orange semi-solid.

25

5

10

15

20

The crude product was purified twice by column chromatography [silica gel / hexane, ethyl acetate, 4:1] followed by further chromatography [silica gel / hexane, diethyl ether, 4:1]. The product was crystallized from toluene to afford a pale yellow solid, which was dried in vacuo (P₂O₅, CaCl₂, paraffin wax, 48h).

30 Yield = 7.30g (50%).

Scheme 1

1a...Benzyl bromide, K₂CO₃. 1b...(i) n-Butyllithium; (ii) NH₄Cl.

Example 1:

Experimental studies were performed on the dimethanoldioxolane compound (4) described above and of the structure shown in Fig. 2, and separately on (4R,5R)-2,2-dimethyl-α,α,α',α'-tetrakis[naphth-2-yl]-1,3-dioxolane-4,5-dimethanol as a comparative compound, each in a E44 nematic host mixture, the results of which were plotted in Fig. 3 as a graph showing the peak reflection wavelength (nm) versus temperature. The respective cholesteric liquid crystal mixtures prepared for conducting these experimental studies were as follows.

10 COMPOSITION 1 formulation:

Component	Component amt. (wt%)
2-naphthyl as the R groups on the dimethanoldioxolane	3.4%
(comparative compound)	
E44	96.6%

15

20

5

COMPOSITION 2 formulation:

Component	Component amt. (wt%)
6-benzyloxynaphth-2-yl as the R groups on the	10.0%
dimethanoldioxolane (compound (4), Fig. 2 compound)	
E44	90.0%

It will be noted that E44 is commercially available nematic liquid crystal mixture that was obtained from Merck KgaA in Darmstadt, Germany through EM Industries in Hawthorne, New York. It will also be noted that the percentage of compound (4), and thus the percentage of E44, advantageously can be varied to achieve the desired reflective wavelength. For example, varying the percentage of compound (4) from 10 wt% to 2 wt% changes the reflective wavelength from the visible into the infrared. Finally, it will be noted that other additive materials can be included in the cell material to improve other cell properties.

25

As to the cholesteric display test cell arrangement used, both mixtures, i.e., Compositions 1 and 2, were vacuum filled in separate surface stabilized cholesteric displays with a 5µm cell spacing. To accomplish this, two glass plate substrates were put together using an epoxy material around the perimeters with the substrates separated by 5 micron spacers and a small hole left in the perimeter seal for introducing the liquid crystal. The inner faces of the glass substrates were coated with indium-tin oxide (ITO), a standard insulating layer, and a polyimide layer for liquid crystal alignment. The back plate was painted black. The liquid crystal mixture was vacuum filled into the provided cell so that each liquid crystal mixture was sandwiched between the two glass plate substrates.

10

15

20

25

30

5

The arrangement used to control the temperature of the liquid crystal mixtures samples being tested was as follows. A liquid nitrogen cryostat was used to control temperature on the test cells. The cryostat had a cold finger and a heater. The cryostat system was obtained from Janis Cryogenics. A white light source was used with a monochromator, both obtained from Oriel. A silicon detector was used to detect the light intensity. To measure the color, the cell was switched to the reflecting planar state at each temperature and the peak reflection wavelength was determined. The peak reflection wavelength of the cells was measured with incident light at the surface normal and reflected light detected at 45°. The switching pulse used had a magnitude (amplitude and width) high enough to transform the texture to the reflecting planar texture at each temperature. The pulse was an AC square pulse. Data points were typically acquired every 10°C from -20°C to about +70°C. The results of these measurements are plotted in Fig. 3.

The compound of Fig. 2 was found through these experimental studies to possess a substantially temperature independent HTP in the nematic mixture E44, which is suitable for cholesteric displays. The HTP for this compound at room temperature in E44 is $31\mu\text{m}^{-1}$. The HTP for the base compound (unsubstituted naphthalene units) is $91\mu\text{m}^{-1}$. A plot of the temperature dependence of the compound according to the present invention, a compound containing (4R,5R)-2,2-dimethyl- $\alpha,\alpha,\alpha',\alpha'$ -tetrakis[6-(benzyloxy)naphth-2-yl]-1,3-dioxolan-4,5-dimethanol, versus that of the comparative reference compound, i.e., a similar compound containing a small amount by weight of (4R,5R)-2,2-dimethyl- $\alpha,\alpha,\alpha',\alpha'$ -tetrakis[naphth-2-yl]-

1,3-dioxolane-4,5-dimethanol, which is strongly temperature dependent, is shown in Fig. 3. It should be noted that both molecules exhibit a linear temperature dependence from -20°C to +70°C.

In addition to the use of a single chiral additive, independence of the helical twisting power with temperature advantageously can be obtained by mixing two dioxolane materials that are structurally different and that exhibit opposite twist senses.

Example 2:

15

25

30

10 ADDITIONAL STUDIES INVOLVING ACHIRAL COMPOUND ADDITIVE:

The change in color of a liquid crystal mixture containing a chiral compound (viz., compound 4, Fig. 2 compound) and a host mixture (viz. E44) along with a small amount of an achiral non-liquid crystalline compound (undecyl cyanide at 4% by weight) was investigated. The components were mixed according to the following proportions as Composition 3:

COMPOSITION 3 formulation:

	Component	Component amt. (wt%)
	6-benzyloxynaphth-2-yl as the R groups on the	11.0%
20	dimethanoldioxolane (compound (4), Fig. 2 compound)	
	E44	85.0%
	UCN (undecyl cyanide, C ₁₁ H ₂₃ CN)	4.0%

The resulting liquid-crystalline mixture containing the achiral additive was filled into a cell and tested using the arrangement described in Example 1. The results of these additional experiments investigating the possible effect of certain achiral additives to the liquid crystalline nematic mixture are shown in Fig. 4, and the plot of the results obtained for Composition 2 in Example 1 as indicated in Fig. 3 was included for sake of comparison. The inventive chiral dimethanoldioxolane compound used for these studies was used to twist the nematic phase to a blue reflecting pitch length. Referring to Fig. 4, a subtle difference between the two curves was clearly evident. Without the achiral additive, the d\lambda/dT is nearly

flat with a slightly negative value, whereas with the achiral additive, the d\(\lambda\)/dT is nearly flat with a slightly positive value. The helical twisting power for the dimethanoldioxolane compound is similar for the two nematic mixtures in Fig. 4 with the additive host mixture showing a slightly higher HTP.

5

10

15

It should be noted that UCN is representative of a class of achiral compounds of the general structure R^1CN where $R^1 = alkyl$. $R^1 = C_{11}H_{23}$ - for UCN itself.

Thus, a further discovery of this invention is that fine-tuning can therefore be performed using certain achiral non-liquid crystalline compounds added to a cholesteric system with a nematic host mixture and a single chiral compound.

For practicing this further embodiment, the achiral additive, namely, aliphatic nitriles, can be commercially obtained from Aldrich Chemicals or prepared by conventionally known methods. Useful alkyl nitriles as the achiral additive include 5C-17C alkanenitriles, and more preferably 8C-14C straight chain or n-alkane nitriles. One preferred alkyl nitrile is undecanenitrile, using IUPAC nomenclature (alternatively, referred to as undecyl cyanide, in common nomenclature). These achiral additives have been found to be effective in amounts of approximately 2 to 6 wt% of the overall liquid-crystalline mixture.

20

Although E44 was exemplified above, virtually any nematic host mixture, including cyanobiphenyls known in the art, can be used in the practice of this invention. The inventive chiral compounds are readily soluble, as required, in many commercially available nematic host mixtures.

25

While this invention has been described in terms of its preferred embodiments, those skilled in the art will recognize that the invention can be practiced with modification within the spirit and scope of the appended claims.

APPENDIX: References Cited

1. U.S. Patent No. 5,251,048: "Method and Apparatus of Electronic Switching of a Reflective Color Display", J. W. Doane, D.-K. Yang, October 1993.

5

- 2. U.S. Patent No. 5,384,067: "Grey Scale Liquid Crystal Material", J. W. Doane, D.-K. Yang, January 1995.
- U.S. Patent No. 5,437,811: "Liquid Crystalline Light Modulating Device and Material", J.
 W. Doane, D.-K. Yang, L.-C. Chien, August 1995.
- U.S. Patent No. 5,453,863: "Multistable Chiral Nematic Displays", J. West, D.-K. Yang, September 1995.
 - "Cholesteric Structure II: Chemical Significance", p105 119, J. L. Fergason, N. N. Goldberg, R. J. Nadalin, *Liquid Crystals*, Ed. G. H. Brown, G. J. Dienes, M. M. Labes, Gordon and Breach Science Publishers, New York (1966)
- "Induced Cholesteric Mesophases: Origin and Application, G. Gottarelli, G. P. Spada,
 Mol. Cryst. Liq. Cryst., 123, 377 388 (1985)
 - U.S. Patent No. 5,309,265: "Short Pitch LC layer with a temperature Independent λ₀ and Containing a Nematic LC Doped with Plural Chiral Additives Having the Same Twist Sense", R. Buchecker, J. Funfschilling, M. Schadt, May 1994.
- 8. "TADDOLs with Unprecedented Helical Twisting Power in Liquid Crystals", H.-G. Kuball, B. Weiss, A. K. Beck, D. Seebach, Helvetica Chimica Acta, 80, 2507-2514 (1997)
 - "TADDOLs Under Closer Scrutiny Why Bulky Substituents Make it All Different", A.
 K. Beck, M. Dobbler, D. A. Plattner, Helvetica Chimica Acta, 80, 2073-2083 (1997)
- 25 10. U.S. Patent No. 5,637,255: "Chiral Dioxolanes", S. Kelly, M. Schadt, June 1997.

WHAT IS CLAIMED IS:

1. An optically active compound of the formula:

5

where the R_2 and R_3 groups are methyl, another lower alkyl group or an aryl or biaryl unit while the R_1 groups independently each are a hydroxyl, alkoxyl, aryloxy, or arylalkoxy group, the R groups each represent a group as follows:

$$A_1 - [-Z]_q - A_2$$

10

where A_1 is an aromatic group, an acyclic aliphatic group, or an alicyclic group, and A_1 can be a substituted or unsubstituted group, Z is a group selected from -O-, -OCO-, or -S-, and the coefficient q is 0 or 1. Z may also be $(CH_2)_nO$ where the coefficient n is 0 to 5 and the coefficient q is 1. A_2 is a bivalent radical of a naphthalene group, and the cyclic structure of A_2 , or A_1 if it is cyclic, optionally can be heterocyclic, such as by replacement of one or more CH member(s) of the ring structure with N, O and/or S.

15

2. The optically active compound of claim 1, where each R substituent is independently selected as:

20

where R₄ represents a group as follows:

$$Y - [-X-]_n - [-Z-]_q -$$

where n is an integer value of 0 or 1 or more, X is -CH=CH-CH₂-, or -(CH₂)_m- where m is an integer value of 1, 2, 3, or more, Y is a radical of an aromatic hydrocarbon, an acyclic aliphatic hydrocarbon, or an alicyclic hydrocarbon, and Y can be a substituted or unsubstituted group, and Z and Q have the same respective meanings as defined in claim 1.

5

- 3. The optically active compound of claim 2, where R_4 is an aryloxy radical, an arylalkoxy radical, an arylalkyleneoxy, or an arylalkenyleneoxy radical.
- 4. (4R,5R)-2,2-dimethyl-α,α,α',α'-tetrakis[6-(benzyloxy)naphth-2-yl]-1,3-dioxolane 10 4,5-dimethanol.
 - 5. A liquid crystalline mixture, comprising: a liquid-crystalline base having liquid crystalline properties; at least one optically active compound of the formula as described in any of one of claims 1-4.

15

6. The liquid crystalline mixture according to claim 5, further including an achiral non-liquid crystalline compound.

20

7. The liquid crystalline mixture according to claim 6, wherein the achiral non-liquid crystalline compound comprises R^1 -C \equiv N, where R^1 represents an aliphatic group.

8. The liquid crystalline mixture according to claim 7, wherein R¹-C=N comprises an

__

alkylnitrile.

25

9. The liquid crystalline mixture according to claim 7, wherein R¹-C≡N comprises undecanenitrile.

30

10. An electro-optical cell comprising a layer including a liquid crystalline mixture as described in any one of claims 5-9 sandwiched between two substrate means, and means for applying an electric potential to the substrate means.

11. A light modulating apparatus comprising an electro-optical cell according to claim 10.

- 12. The light modulating apparatus according to claim 11, wherein the light modulating apparatus comprises a cholesteric display.
 - 13. An electro-optical cell comprising:
 - a layer comprising:

10

15

25

5

at least 70 weight percent (wt%) nematic host mixture; and at least about 2 wt% (4R,5R)-2,2-dimethyl- α , α , α ', α '-tetrakis[6-

(benzyloxy)naphth-2-yl]-1,3-dioxolane-4,5-dimethanol;

first and second substrates disposed above and below, respectively, the layer; and first and second conductors physically coupled to the first and second substrates, respectively, which permit an electrical potential to be applied across the layer.

- 14. The electro-optical cell as recited in claim 13, wherein the layer further comprises about 2-6 wt% achiral material.
- 15. The electro-optical cell as recited in claim 13, wherein the layer further comprises a chiral material different from (4R,5R)-2,2-dimethyl-α,α,α',α'-tetrakis[6-(benzyloxy)naphth-2-yl]-1,3-dioxolane-4,5-dimethanol and having an opposite twist sense.
 - 16. A light modulating apparatus comprising an electro-optical cell according to any one of claims 13-15.
 - 17. The light modulating apparatus according to claim 16, wherein the light-modulating apparatus comprises a cholesteric display having a temperature independent reflective wavelength.

5 FIG. 1

10

15 FIG. 2

20

FIG. 3






FIG 4

5

where UCN is undecyl cyanide:





INTERNATIONAL SEARCH REPORT

International application No. PCT/US01/14842

		_ <u> </u>						
A. CLASSIFICATION OF SUBJECT MATTER IPC(7) : C09K 19/34, 19/32, 19/36; C07D 317/12 US CL : 252/299.01, 299.61, 299.62, 299.7; 428/1.1, 549/430, 453								
According to International Patent Classification (IPC) or to both national classification and IPC								
	SEARCHED	. national crassification and if C						
	nentation searched (classification system followed	d by classification symbols)						
Documentation s	Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched							
Flastronia data l	here congulted during the intermedianal and the	name of data base and, where practicable, search terms used)						
WEST 2.0, C		name of taxa base and, where practicable, search terms used)						
C. DOCUMI	ENTS CONSIDERED TO BE RELEVANT							
Category	Citation of document, with indication, where ap	opropriate, of the relevant passages Relevant to claim No						
in	redent Helical Twisting Power A, Vol. 80, pages 2507-2514,							
Y	997, see whole document	10-17						
90 Sy St	hem. abstr., Vol. 124, No, 1996 (072, the abstract No. 9076r, Quink ynthesis with a Chirogenic Openia eriods with Estrane or 18-homoestr cta 1995, 78(5), 1345-91 (Eng). see	ert, Gerhard et al., "Total ng Move Demonstrated on rane Skeleton". Helv. Chim.						
Further d	locuments are listed in the continuation of Box (C. See patent family annex.						
* Special o	nategories of cited documents:	later document published after the international filing date or priority						
"A" document to be of p	t defining the general state of the art which is not considered particular relevance	date and not in conflict with the application but cited to understand the principle or theory underlying the invention						
	comment published on or after the international filing date	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step						
cited to	at which may throw doubts on priority claim(s) or which is establish the publication date of another citation or other reason (as specified)	when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be						
_	at referring to an oral disclosure, use, exhibition or other	considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art						
than the	at published prior to the international filing date but later priority date claimed	"ô" document member of the same patent family						
Date of the actu	al completion of the international search	Date of mailing of the international search report						
24 AUGUST	2001	11 OCT 2001						
	Nome and mailing address of the ICA /IIC							
Box PCT Washington, D.0	1	SHEAN CHIU WU MY MMJ						
Facsimile No.	(703) 305-3230	Telephone No. (705) 308-0661						

Form PCT/ISA/210 (second sheet) (July 1998)*

HOME COPY PCT

REQUEST


The undersigned requests that the present international application be processed according to the Patent Cooperation Treaty.

For receiving Office use only
International Application PCT/US 01 / 1 4 8 4 2
08 JUN 2001 (08.06.00)
PCT INTERNATIONAL APPLICATION RO/US Name of receiving Office and "PCT International Application"
Name of receiving Office and "PCT International Application"

2000.41	ng to the Patent Cooperation					
		-	Applicant's or agent (if desired) (12 char		-01-004PCT	
Box No. I CHIRAL AD	TITLE OF INVENTION DITIVES FOR CHOLESTER	IC DISPLAYS				
Box No. II	APPLICANT	This perso	on is also inventor			
The address must	ress: (Family name followed by given include postal code and name of count	ry. The country of the a	iddress indicated in this	Telephone No. (330) 673-8784		
Kent Display	Blvd.	if no State of residence	is indicated below.)	Facsimile No. (330) 673-4408		
Kent, OH 4	4240			Teleprinter No.	Teleprinter No.	
				Applicant's registrat	ion No. with the Office	
State (that is, United State	country) of nationality:		State (that is, cou United States	ntry) of residence:		
This person is for the purpos		all designate the United	ated States except I States of America	the United States of America only	the States indicated in the Supplemental Box	
Box No. III	FURTHER APPLICANT			R(S)		
	aut's State (that is country) of residenc		address indicated in this			
Box is the application of the ap	seph W. ood Drive	e if no State of residence	e is indicated below.)	is marked, d		
DOANE, Jo 340 OakWo Kent,OH 44	seph W. bod Drive 1240, US s, country) of nationality:		e is indicated below.)	applicant and inventor onlis marked, d	d inventor y (If this check-box o not fill in below.) tion No. with the Office	
DOANE, Jo 340 OakWo Kent, OH 44 State (that is	seph W. bod Drive 1240, US s., country: of nationality: ses 0 + Anly E G is applicant all designate		State (that is, co.	applicant and inventor only is marked, de Applicant's registra	d inventor y (If this check-box o not fill in below.) tion No. with the Office C ² the States indicated in	
DOANE, Jo 340 OakWo Kent, OH 44 State (that is United Stat This person if for the purpo	seph W. bod Drive 1240, US s., country) of nationality: ses Of Andry Carlo States r applicant all designate States	d all design the Unite	State (that is, con United States except d States of America	applicant and inventor only is marked, de Applicant's registra antry) of residence: The United States of America only let.	d inventor y (If this check-box to not fill in below.) tion No. with the Office C the States indicated in the Supplemental Bo	
DOANE, Jo 340 OakWo Kent, OH 44 State (that is United Stat This person if for the purpo	seph W. bod Drive 1240, US s. country) of nationality: tes 0 + Am & v C G is applicant all designate ses of:	d all design the Unite	State (that is, con United States except d States of America	applicant and inventor only is marked, de Applicant's registra antry) of residence: The United States of America only let.	d inventor y (If this check-box to not fill in below.) tion No. with the Office C the States indicated in the Supplemental Bo	
State (that is United Stat This person for the purport Further Box No. IV	seph W. bod Drive 1240, US s., country) of nationality: ses Of Andry Carlo States r applicant all designate States	all design the Unite entors are indicated REPRESENTAT	State (that is, con United States except d States of America I on a continuation she IVE; OR ADDRESS of the content of the con	applicant and inventor only is marked, de Applicant's registra antry) of residence: The United States of America only let. FOR CORRESPONDE agent	d inventor y (If this check-box to not fill in below.) tion No. with the Office C the States indicated in the Supplemental Bo	
State (that is United State) Further Box No. IV The person of the applic Name and a	seph W. bod Drive 1240, US s. country) of nationality: ses of Andrew Country is applicant all designate ses of: sapplicants and/or (further) invo AGENT OR COMMON identified below is hereby/has be cant(s) before the competent Int ddress: (Family name followed by give The address must include pos	all design the Unite entors are indicated REPRESENTAT seen appointed to a ernational Authoriten name; for a legal entores and the second content of the se	State (that is, con United States except d States of America I on a continuation she extended to the continuation of the	applicant and inventor only is marked, de Applicant's registra antry) of residence: The United States of America only are the United States of Am	d inventor y (If this check-box to not fill in below.) tion No. with the Office C the States indicated in the Supplemental Boy	
State (that is United State This person for the purpose Further Box No. IV The person of the application Name and a POWELL, WESTERL 122 N. Alfred	seph W. bod Drive 1240, US s. country) of nationality: tes	all design the Unite entors are indicated REPRESENTAT seen appointed to a ernational Authoriten name; for a legal entores and the second content of the se	State (that is, con United States except d States of America I on a continuation she extended to the continuation of the	applicant and inventor only is marked, de Applicant's registra antry) of residence: The United States of America only let. Telephone No.	d inventor y (If this check-box to not fill in below.) tion No. with the Office C the States indicated in the Supplemental Bo	
State (that is United State This person for the purpose Further Box No. IV The person of the application Name and a POWELL, WESTERL 122 N. Alfred	seph W. bod Drive 1240, US s., country) of nationality: tes	all design the Unite entors are indicated REPRESENTAT seen appointed to a ernational Authoriten name; for a legal entores and the second content of the se	State (that is, con United States except d States of America I on a continuation she extended to the continuation of the	applicant and inventor only is marked, defautry) of residence: The United States of America only agent Telephone No. (703) 706-5862 Facsimile No.	d inventor y (If this check-box to not fill in below.) tion No. with the Office C the States indicated in the Supplemental Boy	



Sheet	10
	S AND/OR (FURTHER) INVENTOR(S)
If none of the following sub-boxes is used, this sheet should	not to be included in the request.
	applicant only applicant and inventor inventor only (If this check-box is marked, do not fill in below.) Applicant's registration No. with the Office State (that is, country) of residence: United States Of America the United States indicated in of America only the Supplemental Box
The address must include postal code and name of country. The country of the add Box is the applicant's State (that is, country) of residence if no State of residence is SEED, Alexander J. 4071 Baird Road Stow OH 44224-3601, US	ress indicated in this
State (that is, country) of nationality: Great Britian	State (that is, country) of residence: United States U- America
This person is applicant all designated for the purposes of:	I States except ates of America of America only the States indicated in the Supplemental Box
Name and address: (Family name followed by given name; for a legal entity, fu The address must include postal code and name of country. The country of the add Box is the applicant's State (that is, country) of residence if no State of residence is	ress indicated in this
State (that is, country) of nationality:	State (that is, country) of residence:
	d States except atte United States the States indicated in ates of America of America only the Supplemental Box
Name and address: (Family name followed by given name; for a legal entity, fu The address must include postal code and name of country. The country of the add Box is the applicant's State (that is, country) of residence if no State of residence is	ress indicated in this
State (that is, country) of nationality:	State (that is, country) of residence:
This person is applicant all designated all designated for the purposes of: States all designated the United St	States except the United States the States indicated in the States of America of America only the Supplemental Box
Further applicants and/or (further) inventors are indicated on	another continuation sheet.



Box No.V	DESIGNATION OF STATES		M	fark the applicable check-boxes belo	ow;	at led	ast one must be marked.
The following designations are hereby made under Rule 4.9(a):							
Regional	Patent						
AP ARIPO Patent: GH Ghana, GM Gambia, KE Kenya, LS Lesotho, MW Malawi, MZ Mozambique, SD Sudan, SL Sierra Leone, SZ Swaziland, TZ United Republic of Tanzania, UG Uganda, ZW Zimbabwe, and any other State which is a Contracting State of the Harare Protocol and of the PCT							
□ EA E	EA Eurasian Patent: AM Armenia, AZ Azerbaijan, BY Belarus, KG Kyrgyzstan, KZ Kazakhstan, MD Republic of Moldova, RU Russian Federation, TJ Tajikistan, TM Turkmenistan, and any other State which is a Contracting State of the Eurasian						
EP E	EP European Patent: AT Austria, BE Belgium, CH & LI Switzerland and Liechtenstein, CY Cyprus, DE Germany, DK Denmark, ES Spain, FI Finland, FR France, GB United Kingdom, GR Greece, IE Ireland, IT Italy, LU Luxembourg, MC Monaco, NL Netherlands, PT Portugal, SE Sweden, TR Turkey, and any other State which is a Contracting State of the European Patent Convention and of the PCT						
l ot	OA OAPI Patent: BF Burkina Faso, BJ Benin, CF Central African Republic, CG Congo, CI Côte d'Ivoire, CM Cameroon. GA Gabon, GN Guinea, GW Guinea-Bissau, ML Mali, MR Mauritania, NE Niger, SN Senegal, TD Chad, TG Togo, and any other State which is a member State of OAPI and a Contracting State of the PCT (if other kind of protection or treatment desired, specify on dotted line)						
National	Patent (if other kind of protection or						
□ AE	United Arab Emirates			Georgia			
☐ AG	Antigua and Barbuda		GH	Ghana		ΜX	Mexico
☐ AL	Albania			Omitota			Mozambique
☐ AM	Armenia		HR	Croatia	님		Norway
AT	Austria		HU	Hungary	님	NZ Di	New Zealand
AU	Australia	므	ID	Indonesia	므	FL	Portugal
L AZ	Azerbaijan	_	IL	isiaci	=		Romania
□ BA	Bosnia and Herzegovina			india			Russian Federation
П пп	Dawhadaa		IS	iceiand			
∐ BB	Barbados		Jr Ve	Japan		SD	Sudan
∐ BG □ BR	Bulgaria		KC	Keliya		SE	Sweden
□ BX	Brazil			Democratic People's Republic		SG	.
□ BZ	Belize		I.T.	of Korea		SI	Slovenia
CA	Canada	X	KR	Republic of Korea		SK	
I =	LI Switzerland and Liechtenstein	=	KZ	Kazakhstan	님	SL	Sierra Leone
⊠ CN	China		LC	Saint Lucia	=	TJ	Tajikistan
Co	Colombia	_		Sai Loulea			Turkmenistan
☐ CR	Costa Rica	=					Turkey Trinidad and Tobago
□ cu	Cuba		LS	Lesotho	لسا	1.1	
□ cz	Czech Republic				П	T7.	United Republic of Tanzania
☐ DE	Germany		LU				Ukraine
□ DK	Denmark	_		Latvia		UG	Uganda
□ рм			MA	Morocco	X	US	United States of America
□ DZ	Dominica Algeria		MD	Republic of Moldova	_		
☐ EE	Estonia	_				$\mathbf{U}\mathbf{Z}$	Uzbekistan
☐ ES	Spain			Madagascar			
□ FL	Finland		MK	The former Yugoslav Republic of			
☐ GB	United Kingdom	_		Macedonia			
│ □ GD	Grenada		MN	Mongolia	Ц	ZW	Zimbabwe
Check-b	oxes below reserved for designating	State	s whi	ch have become party to the PCT af	fter i	ssua	nce of this sheet:
旧							
						• • •	
Precentio	nary Designation Statement: In ad	ditio	n to t	he designations made above the a	nnli	cant	also makes under Rule 4.9(b) all
other desi	gnations which would be permitted	unde	r the	PCT except any designation(s) in	dica	ted in	n the Supplemental Box as being
excluded that any de	Precautionary Designation Statement: In addition to the designations made above, the applicant also makes under Rule 4.9(b) all other designations which would be permitted under the PCT except any designation(s) indicated in the Supplemental Box as being excluded from the scope of this statement. The applicant declares that those additional designations are subject to confirmation and that any designation which is not confirmed before the expiration of 15 months from the priority date is to be regarded as withdrawn by						
the applica	ant at the expiration of that time limit	. (Ca	onfirm	ation (including fees) must reach the re-	ceivi	ng O	ffice within the 15-month time limit.)

Form PCT/RO/101 (second sheet) (March 2001) LegalStar 2001, Form PCTREQ

See Notes to the request form





Box No. VI PRIORIT	Y CLAIM			
The priority of the following	earlier application(s) is hereby	y claimed:		
Filing date	Number of earlier application	W	here earlier application	is:
of earlier application (day/month/year)	or carrier application	national application: country	regional application:* regional Office	international application: receiving Office
item (1) 09/06/2000	60/210,485	United States of America		
item (2)				
item (3)				
item (4)				
item (5)	·			
Further priority claims	are indicated in the Supplemen	ntal Box.		
The receiving Office is required (only if the earlier applicate Office) identified above as:	uested to prepare and transmition was filed with the Office	t to the International Bure which for the purposes of	eau a certified copy of f this international app	the earlier application(s)
all items item	(1) item (2)	item (3) item (4)	item (5)	other, see Supplemental Box
* Where the earlier application Industrial Property or one Mem	n is an ARIPO application, indi aber of the World Trade Organiza	cuie at least one country pai tion for which that earlier app	rty to the Paris Convention Polication was filed (Rule 4	on for the Protection of .10(b)(ii)):
Box No. VII INTERNA	TIONAL CEARCHING AV			
	TIONAL SEARCHING AU			
international search, indicate th	arching Authority (ISA) (if the Authority chosen; the two-letter	two or more International S code may be used):	earching Authorities are	competent to carry out the
ISA/ us				
Request to use results of elinternational Searching Authorities	earlier search; reference to t	hat search (if an earlier se	earch has been carried or	ut by or requested from the
Date (day/month/year)	Number	Country (or regio	onal Office)	
Box No. VIII DECLARA	ATIONS			
The following declarations check-boxes below and indic	are contained in Boxes Nos. cate in the right column the nu	VIII (i) to (v) (mark the a mber of each type of declar	pplicable ration):	Number of declarations
Box No. VIII (i)	Declaration as to the identity	y of the inventor		:
Box No. VIII (ii)	Declaration as to the applicate, to apply for and be gra	ant's entitlement, as at the i	nternational filing	:
Box No. VIII (iii)	Declaration as to the applicate, to claim the priority of	ant's entitlement, as at the i f the earlier application	nternational filing	:
Box No. VIII (iv)	Declaration of inventorship United States of America)	(only for the purposes of the	he designation of the	:
Box No. VIII (v)	Declaration as to non-prejud	dicial disclosures or except	ions to lack of novelty	:



PCT/US U 3 / 3 - 4 2 RO/US 1 A AUG 2001


Sheet No.5...

Box No. IX CHECK LIST; LANGUAGE OF FILING								
This international application contains: (a) the following number of This international application is accompanied by the following item(s) (mark the applicable check-boxes below and indicate in of items								
sheets in paper form:		right column the number of each item):						
request (including declaration sheets)	6	1. fee calculation sheet	:					
description (excluding	17	2. original separate power of attorney	:					
sequence listing part)	,,	3 original general power of attorney	:					
claims :	3	4. Copy of general power of attorney; reference number, if						
abstract :	1	any:	;					
drawings :	2	5. statementexplaining lack of signature	;					
Sub-total number of sheets:	29	6. prioritydocument(s) identified in Box No. VI as item(s):						
sequence listing part of description (actual number		1 <u> </u>	•					
of sheets if filed in paper		7. Intranslation of international application into (language):	:					
form, whether or not also filed in computer readable	•	8. separate indications concerning deposited microorganism	·					
form; see (b) below)	0	or other biological material	:					
Total number of sheets	29	9. sequence listing in computer readable form (indicate also type						
(b) sequence listing part of description	n filed in	and number of carriers (diskette, CD-ROM, CD-R or other))						
computer readable form		(i) copy submitted for the purposes of international search						
(i) only (under Section 801	(a)(i))	under Rule 13ter only (and not as part of the international application)						
(ii) ☐ in addition to being filed form (under Section 801	in paper (a)(ii))	(ii) (only where check-box (b)(i) or (b)(ii) is marked in left column) additional copies including, where applicable,						
Type and number of carriers (CD-ROM, CD-R or other) on wh sequence listing part is contained	hich the <i>(additional</i>	the copy for the purposes of international search under (iii) together with relevant statementas to the identity of the copy or copies with the sequence listing part	:					
copies to be indicated under item column):	y(ii), in rigni	mentioned in left column	:					
		10. other (specify):	:					
Figure of the drawings which should accompanythe abstract:	1	Language of filing of the international application: English						
Box No. X SIGNATURE OF A	PPLICANT,	AGENT OR COMMON REPRESENTATIVE						
obvious from reading the request).	name of the pe	erson signing and the capacity in which the person signs (if such capacity a	is not					
$ \mathcal{A} ^{2}$ 0 $ \mathcal{A} $ 0 .	Khan (Invent							
Hexander J Southerande	er J. Seed (I	nventor)						
July Charles Dom	で ino - V P ノ	CFO Kent Displays Inc. (Applicant's Representative)						
Joel Domino - V. P. & CFO , Kent Displays, Inc. (Applicant's Representative)								
· /								
<u> </u>		For maniping Office use and						
Date of actual receipt of the purp international application:	U	18 0014 20011 / 08·04·01/	awings:					
international application: 3. Corrected date of actual receiptd timely received papers or drawin	lue to later bu	8 JUN 2001 (U8. 04.01) 2. Di	awings:					
international application: 3. Corrected date of actual receipt d timely received papers or drawin purported international application.	lue to later bungs completing	8 JUN 2001 (U8. 04.01) 2. Di	received:					
international application: 3. Corrected date of actual receiptd timely received papers or drawin	lue to later bungs completing	8 JUN 2001 (U8. 04.01) 2. Di	_					
international application: 3. Corrected date of actual receipt of timely received papers or drawin purported international application. 4. Date of timely receipt of the	lue to later bungs completing on: uired 1(2):	2. Di gthe	received:					
International application: Corrected date of actual receipt of timely received papers or drawin purported international applicati Date of timely receipt of the requirement	fue to later buings completing on: uired 1(2):	2. Di gthe Transmittalof search copy delayed	received:					
International application: Corrected date of actual receipt of timely received papers or drawin purported international applicati Date of timely receipt of the requirement	fue to later buings completing on: uired 1(2):	2. Dr. gthe Control Control	received:					

Form PCT/RO/101 (last sheet) (March 2001) LegalStar 2001, Form PCTREQ

See Notes to the request form





PCT

FEE CALCULATION SHEET

Annex to the Request

For receive	ving (Offic	e us	se onl	y -			-
PCTUS nternational Application No.	0	1 /	/ :	1 4	8	4	2	

App file	plicant's or agent's reference	KD-01-004PCT		Date Sam	p of the receiving	ffice	_
	plicant	CHOLESTERIC DISPLAYS	s				
CAI	LCULATION OF PRESCI	RIBED FEES					
1. Т	RANSMITTAL FEE				240	0.00 T	240
1	SEARCH FEE	ried out by	 US	···· j	700	0.00 S	200
(l se	lf two or more International Se earch, indicate the name of the	arching Authorities are compete Authority which is chosen to car	ent to carry rry out the in	out the inter iternational :	national search.)		
3. П	NTERNATIONAL FEE						
В	Basic Fee				28		
W W	Vhere item (b) of Box No. IX Vhere item (b) of Box No. IX	K applies, enter Sub-total nu K does not apply, enter Total	mber of sh number of	eets }	-29	į	· ¬
[t	first 30 sheets			427.0	00 b1		382
E	o2 0 x	10.00 =		0.0	b 2		0
_ [b	is filed in computer read	only if sequence listing part of lable form under Section 801 or, under Section 801(a)(ii)):	(a)(i) or ho	n oth			Z1
	400 x	= 1		÷	b3	ľ	0
	_	fee per sheet				11	2(7)
A	dd amounts entered at b1, b	2 and b3 and enter total at B	· · · L_		427.00 B		202
	esignation Fees	.					
	he international application 5 umber of designation fees	92	_ =	<u></u>	460.00 D		410
	ayable (maximum 6)	amount of designation fee	;				000
A	dd amounts entered at B and	d D and enter total at I .		L	887	.00 I	192
(A	pplicants from certain States ternational fee. Where the app	s are entitled to a reduction plicant is (or all applicants are)	of 75% of so entitled,	the the			,
4. FI	EE FOR PRIORITY DOCU	MENT (if applicable)		L	15	.00 P	<u>/5</u>
5. TO	OTAL FEES PAYABLE .			[2.00	1741
A		I and P, and enter total in the	e TOTAL b	ox L	TOTAL		
	The designation fees are no	ot paid at this time.]L	
	DE OF PAYMENT						
	authorization to charge	postal money	order	cash	c	oupons	
	cheque	bank draft			ue stamps 🔲 o	ther (specif	5):
AUT	THORIZATION TO CHA	RGE (OR CREDIT) DEPO	SIT ACCO	UNT			
(1 mis	s mode oj payment may not	be available at all receiving	Offices)		Receiving Offi	ice: RO/	US
	Authorization to charge the	e total fees indicated above.			Deposit Accou		16-2372
X	ine receiving Uffice so p	arked only if the conditions fermit) Authorization to chathe total fees indicated above	rge anv de	accounts of ficiency or			06/2001 H. J. Powell, Jr.
		e fee for priority document.			Signature:	ROOL	M

Form PCT/RO/101 (Annex) (March 2001) LegalStar 2001, Form PCTREQ

See Notes to the fee calculation sheet

PATENT COOPERATION TREATY

09/937210 Y

PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's	Article 36 and	Rule 70)
Applicant's or agent's file reference		
KD-01-004PCT	FOR FURTHER ACTION	See Notification of T-
International application No.		See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA
PCT/US01/14842	International filing date (day/mon	th/year) Priority day (
International Patent Classification (IPC) o	08 June 2001 (08.06,2001)	date (ady/month/year)
IPC(7): Cook as	r national classification and IPC	09 June 2000 (09.06.2000)
Applicant Applicant 19/34, 19/32, 19/36; C07D	317/12 and US CI	
IPC(7): C09K 19/34, 19/32, 19/36; C07D Applicant	and OS CI.: lease See Sup	plemental Sheet.
KENT DISPLAYS, INC.		
1		
1. This international preliminar	V examination	
Examining Authority and is t	y examination report has been pransmitted to the applicant account	orepared by this International Preliminary ording to Article 36.
2. This REPORT consists a	to the applicant acco	ording to Article 36.
- Commission of a fe	otal of _ sheets, including this	S COVAT of and
L I IIII TEDORE is also		
which have been amende	panied by ANNEXES, i.e., she	eets of the decoming:
before this Authority (see	Rule 70 16 and 6	ort and/or sheets contains and/or drawings
		eets of the description, claims and/or drawings ort and/or sheets containing rectifications made f the Administrative Instructions under the PCT
total	of O sheets.	ander the PCT
3. This report contains indications		
3. This report contains indications	relating to the following items	:
I Basis of the report		
II Priority		
· ·		
Non-establishment of	report with regard to possible	inventive step and industrial applicability
IV Lack of unity of inven	etion	inventive step and industrial applicability
V Reasoned state	rdOll	pmeability
applicability: citation	ider Article 35(2) with regard to	o novelty, inventive step or industrial
VI Cortain 1	der Article 35(2) with regard to and explanations supporting suc	ch statement
documents cite	d	ou satement
VII Certain defects in the in	Iternational and	
VIII Certain observations	application	
on various on	the international application	
		1
e of submission of the demand		
nuary 2002 (08.01.2002)	Date of comp	letion of this report
	27 August 2002	
e and mailing address of the IPEA/US Commissioner of Patents and Trademarks Box PCT		
Washington D.C. 2004	Authorized offic	er A
mie No. (703)305-3220	Shean C. Wu	Um Wall
CT/IPEA/409 (cover sheet)(July 1998)	Telephone No.	702 200 0 c
/(agi) 1330)	, , , , , , , , , , , , , , , , , , , ,	,03-300-0061

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.	
PCT/US01/14842	

Ţ		
⊢		is of the report
1.	With	regard to the elements of the international application:*
	\bowtie	the international application as originally filed.
	\boxtimes	the description:
		pages 1-17 as originally filed
		pages NONE, filed with the demand
		pages NONE, filed with the letter of
	\triangle	the claims:
		pages 18-20, as originally filed pages NONE, as amended (together with any statement) under Article 10
		pages NONE , as amended (together with any statement) under Article 19 pages NONE , filed with the demand
		pages NONE , filed with the letter of
	\boxtimes	the drawings:
		pages $1-2$, as originally filed
		pages NONE , filed with the demand
		pages NONE, filed with the letter of
		the sequence listing part of the description:
		pages NONE , as originally filed
		pages NONE , filed with the demand pages NONE , filed with the letter of
2	With	
	langu	regard to the language, all the elements marked above were available or furnished to this Authority in the large in which the international application was filed, unless otherwise indicated under this item.
	These	e elements were available or furnished to this Authority in the following language which is:
		the language of a translation furnished for the purposes of international search (under Rule23.1(b)).
	襾	the language of publication of the international application (under Rule 48.3(b)).
	Ħ	
	لــا	the language of the translation furnished for the purposes of international preliminary examination(under Rules 55.2 and/or 55.3).
3.		regard to any nucleotide and/or amino acid sequence disclosed in the international application, the
	interr	national preliminary examination was carried out on the basis of the sequence listing:
		contained in the international application in printed form.
		filed together with the international application in computer readable form.
		furnished subsequently to this Authority in written form.
		furnished subsequently to this Authority in computer readable form.
		The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.
	<u>ب</u>	The statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished.
1		
▼・		The amendments have resulted in the cancellation of:
		the description, pages none
	i	the claims, Nos. none
		the drawings, sheets/ fig none
5. [つ <i>:</i>	·
		This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).**
R	еріасе	ment sheets which have been furnished to the receiving Office in response to an invitation
A	ny rep	placement sheet containing such amendments must be referred to under item 1 and annexed to this report.

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/US01/14842

V. Reasoned statement under Rule 66.2(a citations and explanations supporting s 1. STATEMENT	- Content		
Novelty (N)			·
Novelly (N)	Claims 1-17		,
	Claims none		
Inventive Step (IS)	Claims 1-17		
	Claims none		Y
Industrial Applicability (IA)			
Applicability (IA)	Claims 1-17		Y
	Claims none		N
2. CITATIONS AND EXPLANATIONS			
Claims 1-17 meet the criteria set out in PCT Article oresent invention has an additional group R4 attached lioxolane derivatives without substituted naphthalene	e ring.	s a nyurocarbon. The prio	r art only discloses
America -			
IONE			
ONE NEW CITATIONS			
		·	

International application No.

PCT/US01/14842

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

VIII. Certain observations on the international application

The following observations on the clarity of the claims, description, and drawings or on the questions whether the claims are fully supported by the description, are made:

Claims 2-3 and 5-12 are objected to as lacking clarity under PCT Rule 66.2(a)(v) because practice of the claimed invention is not adequately described in writing, as required under PCT Rule 5.1(a)(iii), for the reasons set forth in the immediately preceding paragraph.

The coefficient n in notation R4 does not have an upper limit. The language "0 or 1 or more" is not clearly defined for n value.

Form PCT/IPEA/409 (Box VIII) (July 1998)